


SAFE HAVEN KIT (60 lbs.)

One Triangle Base and Shade Top, nine screws,

three Safe Haven trunks, fifty-four 46" limbs



1. Insert trunks into post base and secure with provided self-tapping screws. **TIP: Note the correct orientation of the V shape. There are NO pre-drilled holes for the self-tapping screws.**
2. Insert one limb into the second V from the top of each trunk (see diagram).
3. Lay shade top over top of trunks and secure by inserting limbs in top row of V's on top of each trunk (see diagram).
4. Insert limbs in the remaining V's on each trunk.
5. Place gravel, concrete block(s), or bag of concrete in base to weigh product down (not included).




TROPHY TREE KIT (38 lbs.)

One Triangle Base and Shade Top, nine screws,
three Trophy Tree trunks, twenty-seven 46" limbs



1. Insert trunks into post base and secure with provided self-tapping screws. **TIP:** Note the correct orientation of the V shape. There are **NO** pre-drilled holes for the self-tapping screws.
2. Insert one limb into the second V from the top of each trunk (see diagram).
3. Lay shade top over top of trunks and secure by inserting limbs in top row of V's on top of each trunk (see diagram).
4. Insert limbs in the remaining V's on each trunk.
5. Place gravel, concrete block(s), or bag of concrete in base to weigh product down (not included).




SHORELINE LAYDOWN *(44 lbs.)*

Two 60" Safe Haven XL trunks, fifty-six 46" limbs, one 8" coupler, eight screws, one 5' cable, one 24" chain, two quick links



1. Secure coupler to the end of one of the trunks using 4 screws.
2. Position one trunk upright where slits appear as "V" shapes.
3. Insert one limb into outer V-shape and **angle tip down slightly** as you insert into V-shape directly across trunk.
4. Ensure limb is fit securely through V-shapes on both sides of trunk. MossBack products allow you to create multiple limb configurations (see below). Leave at least 4" of limb through one side of trunk.
5. Continue inserting limbs in trunk repeating steps 3-4.
6. Repeat steps 3-5 for second trunk.
7. Lay both habitats on their sides with V-shape limbs **pointing the same direction**. Connect trunks at the coupler using remaining 4 screws.
8. Loop cable around the coupler between the trunks. Clip one quick link to secure cable. Clip the second quick link to the chain around concrete block.



Regular



All limbs to one side
(creates a stakebed)

